IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: SINGH, Nitvalendra et al. Group Art Unit: 1763

Serial No. 10/596,544 Examiner:

Filing or 371 (c) Date: 06/16/2006 Dkt No: GJE006-US

For: APPARATUS AND METHOD FOR PLASMA PROCESSING

To: Commissioner for Patents

Office of Initial Patent Examination

Customer Service Center

PO Box 1450

Alexandria, VA 22313-1450

24222

Commissioner:

REQUEST FOR CORRECTIONS TO FILING RECEIPT

Fr.

We are in receipt of a filing receipt, dated 05/07/2007, for the above referenced patent application. There is an error in the spelling of the residence city for the first inventor. The city name should be: STOKE not STROKE. The spelling is correct in the Declaration and on the Application Data Sheet, filed with the original application.

Applicant respectfully requests this correction be made and a corrected filing receipt issued. A 1 page copy of the original filing receipt with the correction made, 2 pages of original Declaration and 4 pages of original Application Data Sheet are enclosed herewith.

DEPOSIT ACCOUNT 500323 AUTHORIZATION - All necessary fees relating to the attached submittal, if any, are intended to be included. However, the Office is hereby authorized to charge any deficiency or credit any overpayment in the fees relating to the submittal to deposit account 500323, registered to Maine & Asmus PLLC, contact telephone no. 603-886-6100.

Respectfully submitted,

/Andrew P. Cernota, Reg. No. 52,711/

Vernon C. Maine, Reg. No. 37,389 Scott J. Asmus, Reg. No. 42,269 Andrew P. Cernota, Reg. No. 52,711 Kristina M. Grasso, Reg. No. 39,205 Attorneys/Agents for Applicant

Tel. No. (603) 886-6100, Fax. No. (603) 886-4796

Nashua, NH 03061-3445 Patents@maineandasmus.com

Cus No. 24222

PO Box 3445

Maine & Asmus



United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address COMMISSIONER FOR PATENTS PO. Ber. 1430 Alexandria, Vigina 22313-1430

				www.myn.gov				
	APPL NO.	FILING OR 371(c) DATE	ART UNIT	FIL FEE REC'D	ATTY. DOCKET NO	TOT CLMS	IND CLMS	
Į			4700	050	GJE006-US	21	1	
	10/596,544	06/16/2006	1763	950	G3E000-03			

CONFIRMATION NO. 7779

24222 MAINE & ASMUS 100 MAIN STREET P O BOX 3445 NASHUA, NH 03061-3445 FILING RECEIPT
**C00000023696796*

Date Mailed: 05/07/2007

Receipt is acknowledged of this regular Patent Application. It will be considered in its order and you will be notified as to the results of the examination. Be sure to provide the U.S. APPLICATION NUMBER, FILING DATE, NAME OF APPLICANT, and TITLE OF INVENTION when inquiring about this application. Fees transmitted by necked or draft are subject to collection. Please verify the accuracy of the data presented on this receipt. If an error is noted on this Filing Receipt, please mail to the Commissioner for Patents P.O. Box 1450 Alexandria Va 22313-1450. Please provide a copy of this Filing Receipt with the changes noted thereon. If you received a "Notice to File Missing Parts" for this application, please submit any corrections for the Vision of the USPTO processes the reply to the Notice, When the USPTO processes the reply to the Notice, the USPTO will generate another Filing Receipt incorporating the requested corrections (if appropriate).

Applicant(s)	Stoke Nityalendra Singh, Stroke UNITED KINGDOM; Roger James Wilshire Croad, Somerset, UNITED KINGDON	ı;	GILL ENNINGS
Assignment l	For Published Patent Application OXFORD INSTRUMENTS PLASMA TECHNOLOGY LIMITE	D, Eynsham, Oxford, Gl	BASPBY:
Power of Atto	RCVDBY: FSUM:		
Domestic Pri	CAL: DIKT:		
Foreign Appl	NOTICE:		
UNITED KING		₹S	

If Required, Foreign Filing License Granted: 05/04/2007

The country code and number of your priority application, to be used for filing abroad under the Paris Convention, is US10/596,544

Projected Publication Date: 08/16/2007

Non-Publication Request: No